



CARATTERISTICHE ELETTRICHE
ELECTRIC CHARACTERISTIC

SERIE NAD/UR 261-pC01

WITH INVERTER COMPRESSOR

Revisione	Foglio	Oggetto	Data	Responsabile
A	1	CONNESSIONE PGD3	12/07/2007	C.N.
B	1	AGG. SERRANDA FC e MOD Q5	31/07/2007	FF
C	1	CABLAGGIO INVERTER	09/10/2007	N.C.1
D	1	INSERITA SONDA P1	10/10/2007	FF1

VERS.

'F' = SOLO FREDDO-ONLY COOLING
'F+C' = FREDDO/CALDO-ONLY COOLING/HEATING
'F+U' = FREDDO/UMIDITA'-COOLING/HUMIDITY
'F+C+U' = FREDDO/CALDO/UMIDITA'- COOLING/HEATING/HUMIDITY

D	INSERITA SONDA P1	10/10/2007	FF1	DATE	19/09/2005		REPLACE	REPLACE	ORIGIN:	HF620C0579	SHEET 1 OF 24		
B	AGG. SERRANDA FC e MOD Q5	31/07/2007	FF	DRAW.	P.M.							CONTINUE	2
C	CABLAGGIO INVERTER	09/10/2007	N.C.1	CHECK	P.M.								
REV.	MODIFICATIONS	DATE	SIGN.	APPR.	M.M.								

A

A

SIGN.	Descriptions	Note	
AP1	PRESSOSTATO DI ALTA HIGH PRESSURE P-STAT PRESSOSTAT HAUTE PRESSION DRUCKSCHALTER, HOCHDRUCK PRESOSTATO DE ALTA		
KA3	RELE' ALTA HI-PRESSURE RELAIS RELAIS HAUTE PRESSION RELAIS HOCHDRUCK RELE DE ALTA		
KM1	CONTATTORI COMPRESSORE COMPRESSOR CONTACTORS CONTACTEUR COMPRESSEUR SCHUTZ VENDORCHTER CONTACTOR DEL VENTILADOR		
KM3	CONTTATORE UMIDIFICATORE HUMIDIFIER CONT. CONT. HUMIDIFICATEUR BEFEUCHTER VERSORGUNG CONT. HUMIDIFICADOR		
KM4	CONTATTORE MOTOVENTILATORE FAN MOTOR CONTACTOR CONTACTEUR VENTILATEUR VENTILATOR SCHUETZ CONTACTOR DEL MOTOVENTILADOR		
KM5 KM6	RISCALDAMENTO ELETTRICO EL. HEATERS CHAUFFAGE ELETTRIQUE ELETR. HAIZUNG RESISTENCIAS ELETRICAS		
C1 C2	COMPRESSORE COMPRESSOR COMPRESSEUR KOMPRESSOR COMPRESOR		
TR	TRASFORMATORE TRANSFORMER TRANSFORMATEUR TRANSFORMATOR TRANSFORMADOR		
QS	INTERRUTTORE GENERALE MAIN SWITCH INTERRUPTEUR GENERAL HAUPTSCHALTER INTERRUPTOR GENERAL		
M1 M2 M3	MOTOVENTILATORE EVAPORANTE EVAP. FAN MOTOR MOTEUR VENTILATEUR DE EVAP. EVAP.-LUEFTER MOTOVENTILADOR EVAPORADORA		
CH1	COND. DI RIFASAMENTO POWER FACT. CORRECTION COND. CORRECT. COS. PHI KOND. KORR. COS. PHI COND. DE COMP. DE FASES		


SIGN.	Descriptions	Note	
RSF	RELE' SEQUENZA FASE PHASE SEQUENCE CONTROL RELAY RELAIS DE CONTROLE DE PHASE D'ETAGE STEUERRELAIS FUER PHASENFOLGE RELE' CONTROL SECCUENCIA FASES		
SR1	SERRANDA DAMPER REGISTRE MOTORISIERTA COMPUERTA		
FS1	PRESSOSTATO FLUSSO ARIA AIR FLOW PRESSURE SWITCH PRESSOST. D'ENCRASSEMENT DE FILTRE DRUCKSCHALTER NIEDERDRUCK PRESOSTATO DE BAJA		
TP1 TP2	TERMOSTATO SICUREZZA RISCALDAMENTO HEATING SAFETY THERMOSTAT THERMOSTAT DE SECURITE' CHAUFFAGE THERMOSTATE ELEKTROHEIZUNG TERMOSTATO DE SEGURIDAD DE LAS RESISTENCIAS		
P1	PRESIONE CONDENSAZIONE CONDENSING PRESSION SENSOR SONDE DU PRESSION DE CONDENSATION KONDENSATIONSDRUCK-FUEHLER SONDA PRESSION CONDENSACION		
SA	TEMPERATURA AMBIENTE INTERNO SHELTER INTERNAL AIR TEMPERATURE SENSOR SONDE TEMPERATURE D'AIR EINTERIOR AUSSERER LUFTEMP.-FILTER SONDA DE TEMPERATURA DE LA DESCARGA DE AIRE		
SM	TEMPERATURA ARIA IN MANDATA DISCHARGE AIR TEMPERATURE SONDE DE TEMPERATURE ZULUFTTEMPERATUR TEMP. DE LA DISCARGA DE AIRE		
SE	TEMPERATURA ARIA ESTERNA OUTDOOR AIR SENSOR SONDE D'AIR EXTERNE AUSSENLUFTUEHLER SONDA DE AIRE EXTERNA		
BP1	PRESSOSTATO DI BASSA LOW PRESSURE P-STAT PRESSOSTAT BASSE PRESSION DRUCKSCHALTER NIEDERDRUCK PRESOSTATO DE BAJA		
K1	REGOLATORE DI VELOCITA' SPEED CONTROLLER REGULATEUR DE VITESSE VENTILATOR/DREHZAHLEGLER REGULADOR VELOCIDAD		
FS2	PRESSOSTATO FILTRI SPORCHI CLOGGED FILTER PRESSURE SWITCH PRESSOSTAT D'ENCRASSEMENT DE FILTRE DRUCKSCHALTER, FILTERVERSCHMUTZUNG PRESSOSTATO FILTROS SUCIOS		
R1 R2	RISCALDAMENTO ELETTRICO EL. HEATERS CHAUFFAGE ELETTRIQUE ELETR. HAIZUNG RESISTENCIAS ELETRICAS		

SIGN.	Descriptions	Note	
Q1	INTERR. RSF SWITCH RSF INTERR. RSF AUTOMATISCHER RSF INTERR. RSF		
Q2	INTERR. COMPRESSORI SWITCH COMPRESSORS INTERR. COMP. AUTOMATISCHER KOMP. INTERR. COMP.		
Q4	INTERR. UMIDIFICATORE SWITCH HUMIDIFIER INTERR. HUMIDIFIC. AUTOMATISCHER BEFEUCHTER INTERR. HUMIDIF.		
Q5	INTERR. VENTILATORI SWITCH FANS INTERR. VENT. AUTOMATISCHER VENT. INTERR. VENT.		
Q6	INTERR. RISCALDAMENTO ELETTRICO SWITCH E. HEATERS INTERR. CHAUFFAGE ELET. AUTOMATISCHER ELETR.HAIZUNG INTERR. RES.		
Q7	INTERR. AUSILIARI SWITCH AUX INTERR. AUS. AUTOMATISCHER AUX INTERR. AUS.		
RC1	RESISTENZE CARTER CRANKCASE HEATERS RESISTANCE DE CARTER KUBELWANNENHEINZUNG RESISTENCIAS DE CARTER		
Y1 Y2	SOLENOIDI LIQUIDO FREON SOLENOID VALVE ELECTROVANNE FREON MAGNETVENTIL-KAEITEMITTEL ELECTROVALVULA FREON		
TP3 TP4 TP5	TERMICHE VENTILATORI THERMAL PROTECTIONS FANS TERMICHE VENTILATORI TERMICHE VENTILATORI TERMICHE VENTILATORI		
Y4	CARICO ACQUA UMID. HUMIDIFIER FEED VALVE ELECTROVANNE D'ALIM. DE HUMID. BEFEUCHTER VERSORGUNG VALVULA ALIM. HUMIDIF.		
Y5	SCARICO ACQUA UMID. HUMIDIFIER DRAIN VALVE ELECTR. DE DRAINAGE DE HUMID. BEFEUCHTER ENTFUEHLUNG VALVULA DESAGUE HUMID.		
SU	SONDA UMIDITA' HUMIDITY PROBE HYGRUMETRIE FUEHLER LUFTEUCHTIGKEITSMESSUNG SONDE DE HUMEDAD		

F

F

DATE 19/09/2005									
DRAW. P.M.									
CHECK P.M.									
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579	SHEET 2 OF 24
1		2		3					CONTINUE 3




LIMITE DI FORNITURA
 LIMIT OF EQUIPMENT
 LIMITE D'EQUIPEMENT
 LIEFERUNGRENZE
 LIMITE DE SUMINISTRO


SEZIONE LINEA COMPRESSORI
 COMPRESSOR SECTION LINE

MOD.	COMP.1	COMP.2
201...261	4MMQ	4MMQ
271...401	6MMQ	6MMQ

**REMOVE THE POWER SUPPLY
 BEFORE ANY ACTION OF
 MAINTENANCE**




				DATE 19/09/2005	LENNOX									
				DRAW. P.M.										
				CHECK P.M.										
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:			HF620C0579	SHEET 4 OF 24			
1		2		3		4	5	6	7	8	CONTINUE 5			



DRY COOLER/COND. CONTR.

DATE 19/09/2005		DRAW. P.M.		LENNOX		ORIGIN:		HF620C0579		SHEET 5 OF 24	
CHECK P.M.		APPR. M.M.				REPLACE	REPLACE	CONTINUE		6	
REV.	MODIFICATIONS	DATE	SIGN.	APPR.	M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579	CONTINUE 6	
1		2		3		4		5	6	7	8



DATE 19/09/2005
 DRAW. P.M.
 CHECK P.M.
 APPR. M.M.



REPLACE REPLACE


ORIGIN:

HF620C0579

SHEET 6 OF 24
 CONTINUE 7

REV. MODIFICATIONS


DATE SIGN.




pCO1 BOARD DIGITAL INPUTS

				DATE 19/09/2005	LENNOX											
				DRAW. P.M.												
				CHECK P.M.												
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:			HF620C0579				SHEET 7 OF 24		
1		2		3		4	5	6	7	8			CONTINUE 8			


pCO1 DIGITAL OUTPUTS




				DATE 19/09/2005	LENNOX									
				DRAW. P.M.										
				CHECK P.M.										
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579		SHEET 8 OF 24		CONTINUE 9		
1		2		3		4		5	6	7	8			




				DATE 19/09/2005	LENNOX									
				DRAW. P.M.										
				CHECK P.M.										
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579		SHEET 10 OF 24		CONTINUE 11		
1		2		3		4	5	6	7	8				



NOTE
 CON ELETTROVALVOLA ELETTRONICA ALCO EX....
 USARE QUESTI COLORI PER IL CABLAGGIO:
 1=BIANCO
 2=MARRONE
 3=NERO
 4=BLU
 WITH ELETTRONIC VALVE ALCO EX....
 USE THIS COLOURS
 1=WHITE
 2=BROWN
 3=BLACK
 4=BLUE




				DATE 19/09/2005	LENNOX									
				DRAW. P.M.										
				CHECK P.M.										
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:			HF620C0579	SHEET 11 OF 24			
1		2		3	4	5	6	7	8	CONTINUE 12				




DATE 19/09/2005		DRAW. P.M.		LENNOX		ORIGIN:		HF620C0579		SHEET 12 OF 24			
CHECK P.M.		APPR. M.M.								CONTINUE 13			
REV.	MODIFICATIONS	DATE	SIGN.							REPLACE	REPLACE	1	2

CONTATTI PULITI SEGNALAZIONE REMOTA
 REMOTE SIGNAL CLEAN CONTACTS
 CONTACTS PROPRES SIGNALISATIONS A DISTANCE
 FREIE KONTAKTE FUER BETRIEBSMELDUNGEN
 CONT. LIMPIOS CON SENGNALIZACIONES REMOTAS


POMPA SCARICO CONDENZA
 CONDENSATE DRAIN PUMP
 POMPE A EAU CONDENSEUY
 KONDENSATWASS PUMPE
 BOMBA DESEGUE CONDEN.



EXT. DAMPER ON/OFF



EXT. PUMPS ON/OFF



DATE 19/09/2005
 DRAW. P.M.
 CHECK P.M.





REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:
1		2		3			5

HF620C0579


SHEET 13 OF 24
 CONTINUE 14

LAN CONNECTIONS



				DATE 19/09/2005	LENNOX						
				DRAW. P.M.							
				CHECK P.M.							
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579		SHEET 14 OF 24	
1		2		3		4		5	6	7	8
										CONTINUE 15	

ELECTRICAL CONNECTION OF THE GRAPHICAL DISPLAY (pGD3)



DATE 19/09/2005
DRAW. P.M.
CHECK P.M.
APPR. M.M.





HF62000579
HF62000579

SHEET 15 OF 24
CONTINUE 16

REV.	MODIFICATIONS	DATE	SIGN.	APPR.	REPLACE	REPLACE	ORIGIN:			
1		2		3	4	5	6	7	8	

MORSETTIERA
 TERMINAL STRIP
 BORNIER
 KLEMMLEISTE
 KLEMMLEISTE



				DATE 19/09/2005	LENNOX									
				DRAW. P.M.										
				CHECK P.M.										
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579		SHEET 16 OF 24		CONTINUE 17		
1		2		3		4	5	6	7	8				

HUMID. CONNECTOR

C1

Pin	Filo	Posizione
1	49	5/C6
2	50	5/C6
3	51	5/C6
4	52	5/C6

Pin	Filo	Posizione
1	94	7/D4
2	00	7/E4
3	93	7/D7
4	00	7/E7

C2

Pin	Filo	Posizione
1	42	4/E1
2	54	4/E2
3	26	4/E2
4		4/E2

Pin	Filo	Posizione
1	42	4/E1
2	54	4/E2
3	26	4/E2
4		4/E2

C3


Pin	Filo	Posizione
1	42	4/E1
2	54	4/E2
3	26	4/E2
4		4/E2

Pin	Filo	Posizione
1	42	4/E1
2	54	4/E2
3	26	4/E2
4		4/E2

LAYOUT SCHEDA ELECTRONIC BOARD LAYOUT

CONNETTORI PHOENIX A SPINA COMBICON CON PASSO 5.08 mm. COLORE VERDE TIPO MSTB 2,5 :

SIG.	POLI	TIPO	CODICE	SIG.	POLI	TIPO	CODICE
J1	2	2,5/2-ST	17 57 01 9	J11	3	2,5/3-ST	17 57 02 2
J2	5	2,5/5-ST	17 57 04 8	J12	5	2,5/5-ST	17 57 04 8
J3	4	2,5/4-ST	17 57 03 5	J13	5	2,5/5-ST	17 57 04 ¹⁸ 8
J4	6	2,5/6-ST	17 57 05 1	J14	3	2,5/3-ST	17 57 02 2
J5	9	2,5/9-ST	17 57 08 0	J15	3	2,5/3-ST	17 57 02 2
J6	4	2,5/4-ST	17 57 03 5	J16	5	2,5/5-ST	17 57 04 8
J7	5	2,5/5-ST	17 57 04 8	J17	3	2,5/3-ST	17 57 02 2
J8	5	2,5/5-ST	17 57 04 8	J18	3	2,5/3-ST	17 57 02 2
J9	3	2,5/3-ST	17 57 02 2				PCOLMID



DATE 19/09/2005

DRAW. P.M.

CHECK P.M.

APPR. M.M.



REPLACE

REPLACE

ORIGIN:

HF620C0579

SHEET 17 OF 24




CONTINUE 18

REV. MODIFICATIONS

DATE SIGN.

LAYOUT 201...261

- CAVO NPI 4X2,5mmq L=1000mm M1
- CAVO NPI 2X1mmq L=1000mm TP3
- CAVO NPI 2X1mmq L=1000mm TP4



PIASTRA DI FONDO HF17001071
 FORNIRE CON GUIDA OMEGA DI OPPORTUNA LUNGHEZZA CON FORI DI FISSAGGIO X1

- CAVO NPI 3X2,5mmq L=1500mm K1 FASTON ROSSI
- CAVO NPI 2X0,5mmq L=1500mm K1 FASTON ROSSI

- CAVO NPI L=1500mm C1 OCCHIELLI D.6
- CAVO NPI 2X1mmq L=1700mm AP1 FASTON ROSSI
- CAVO NPI 2X1mmq L=2500mm Y3 PUNTALINI
- CAVO NPI 3X1,5mmq L=1500mm RC1 GIUNTI
- CAVO NPI 3X1,5mmq L=1000mm Y1 PUNTALINI

(A) ALZARE SCHEDE CON CAVALLOTTO H=200mm

REV.	MODIFICATIONS	DATE	SIGN.	APPR.	M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579	SHEET 18 OF 24
1		2		3		4		5		CONTINUE 19




LAYOUT 271...401

COPRIRE CON COPRIFORDO


CAVO NPI 4X2,5mmq L=1000mm M1

CAVO NPI 2X1mmq L=1000mm TP3

CAVO NPI 2X1mmq L=1000mm TP4




L=200mm



PIASTRA DI FONDO HF17000968

CAVO NPI 3X2,5mmq L=1500mm K1 FASTON ROSSI

CAVO NPI 2X0,5mmq L=1500mm K1 FASTON ROSSI



Ⓐ ALZARE SCHEDE CON CAVALLOTTO H=200mm

CAVO NPI L=1500mm C1 OCCHIELLI D.6


CAVO NPI 2X1mmq L=1700mm AP1 FASTON ROSSI


CAVO NPI 2X1mmq L=2500mm Y3 PUNTALINI


CAVO NPI 3X1,5mmq L=1500mm RC1 GIUNTI

CAVO NPI 3X1,5mmq L=1000mm Y1 PUNTALINI

				DATE 19/09/2005	LENNOX									
				DRAW. P.M.										
				CHECK P.M.										
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:			HF620C0579	SHEET 19 OF 24			
1		2		3		4				7	CONTINUE 20			

1	2	3	4	5	6	7	8	
201...261	Ref-mark	Function	Technical data	Item code	Description	Amount	M.U.	Position
	AP	HIGH PRESSURE				1		4/C02
	BP	LOW PRESURE				1		5/A06
	C1	COMPRESSORE				1		3/E02
	EV1					1		7/B05
	EV2					1		7/B05
	FU1		4AF		FUSIBILE 5X20	1	PCE	3/D08
	KA3	HIGH PRESSURE RELAY		40528024		1		4/E02
	KC1	COMPRESSOR RELAY		55348024		1		4/E02
	KM3	HUMIDIFIER	SIEMENS	3RT1016.1AB01	TELERUTTORE 24VAC 4kW	1	PCE	4/E07
	KM4	EVAP. FANS	SIEMENS	3RT1017-1AB01	TELERUTTORE 24VAC 5.5kW	1	PCE	4/E07
	KM5	E.H.. 1 STEP	SIEMENS	3RT1016-1AB01	TELERUTTORE 24VAC 4kW	1	PCE	6/B03
	KM6	E.H. 2 STEP	SIEMENS	3RT1016-1AB01	TELERUTTORE 24VAC 4kW	1	PCE	6/B03
				DATE 19/09/2005				
				DRAW. P.M.				
				CHECK P.M.				
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579
1		2		3		4		5
						6	7	8
								SHEET 20 OF 24
								CONTINUE 21

1	2		3	4	5	6	7	8	
201...261	Ref-mark	Function	Technical data	Item code	Description	Amount	M.U.	Position	
	M1/M2/M3	EVAP. FANS				1		3/E05	
	Q1	RSF	SIEMENS	5SY6-306-7	INT.AUT.3 POLI 6A CURVA C	1	PCE	3/B04	
	Q2	COMPRESSOR	SIEMENS	5SY6-350-7	INT.AUT.3 POLI 50A CURVA C	1	PCE	3/B06	
	Q4	HUMIDIFIER	SIEMENS	5SY6-316-7	INT.AUT.3 POLI 16A CURVA C	1	PCE	3/B07	
	Q5	FANS	SIEMENS	5SY6-320-8	INT.AUT.3 POLI 20A CURVA D	1	PCE	3/B07	
	Q6	E. HEATERS	SIEMENS	5SY6-332-7	INT.AUT.3 POLI 32A CURVA C	1	PCE	3/B07	
	Q7	AUX	SIEMENS	5SY6-204-7	INT.AUT.2 POLI 4A CURVA C	1	PCE	3/B07	
	Q8	AUX	SIEMENS	5SY6-216-7	INT.AUT.2 POLI 16A CURVA C	1	PCE	3/B07	
	QS		ABB	OT80E4		1		3/A01	
	R1	E. HEATING				1		3/E04	
	RSF	PHASE SEQUENCE				1		3/C02	
	SA	ROOM PROBE				1		6/B05	
	TR2		150VA		CON FUS. A BORDO	1		3/C07	
				DATE 19/09/2005					
				DRAW. P.M.					
				CHECK P.M.					
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579	SHEET 21 OF 24 CONTINUE 22
1	2	3	4	5	6	7	8		

1	2		3	4		5	6		7	8			
271...401	Ref-mark	Function		Technical data		Item code	Description		Amount	M.U.	Position		
	M1/M2	EVAP. FANS							1		3/E05		
	Q1	RSF		SIEMENS		5SY6-306-7	INT.AUT.3 POLI 6A CURVA C		1	PCE	3/B04		
	Q2	COMPRESSOR		SIEMENS		5SY6-350-7	INT.AUT.3 POLI 50A CURVA C		1	PCE	3/B06		
	Q4	HUMIDIFIER		SIEMENS		5SY6-316-7	INT.AUT.3 POLI 16A CURVA C		1	PCE	3/B07		
	Q5	FANS		SIEMENS		5SY6-320-8	INT.AUT.3 POLI 20A CURVA D		1	PCE	3/B07		
	Q6	E. HEATERS		SIEMENS		5SY6-340-7	INT.AUT.3 POLI 40A CURVA C		1	PCE	3/B07		
	Q7	AUX		SIEMENS		5SY6-204-7	INT.AUT.2 POLI 4A CURVA C		1	PCE	3/B07		
	Q8	AUX		SIEMENS		5SY6-216-7	INT.AUT.2 POLI 16A CURVA C		1	PCE	3/B07		
	QS			ABB		OT125E4	SEZIONATORE 4X125 completo di manovra G/R		1		3/A01		
	R1	E. HEATING							1		3/E04		
	RSF	PHASE SEQUENCE							1		3/C02		
	SA	ROOM PROBE							1		6/B05		
	TR2			150VA			CON FUS. A BORDO		1		3/C07		
				DATE 19/09/2005									
				DRAW. P.M.									
				CHECK P.M.									
REV.	MODIFICATIONS	DATE	SIGN.	APPR. M.M.	REPLACE	REPLACE	ORIGIN:	HF620C0579		SHEET 23 OF 24 CONTINUE 24			
1		2		3		4		5		6	7	8	

1

2

3

4

5

6

7

8

NOTE:

- 1) CABLARE Q.E. COME SE FOSSE COMPLETO MA ANDRA' INSTALLATO SOLO IL MATERIALE PER VERSIONE SOLO FREDDO
- 2) PREDISPORRE CABLAGGI PER SCHEDE A1..A2..A3...A4...pCOE E TUTTA LA PARTE DELLA LAN CONNECCTION
- 3) REALIZZAREE LASTRA DI PLEXIGLASS A COPERTURA PARTE DI POTENZA (VEDI LAYOUT)
- 4) PREDISPORRE CABALGGIO PER INT. Q8

A

A

B

B

C

C

D

D

E

E

F

F

DATE 19/09/2005

DRAW. P.M.

CHECK P.M.

APPR. M.M.



HF620C0579

SHEET 24 OF 24

CONTINUE

REV.

MODIFICATIONS

DATE

SIGN.

APPR. M.M.

REPLACE

REPLACE

ORIGIN:

1

2

3

4

5

6

7

8