




CONNECTIONS WITH ALARM OPTION (LEFT SIDE)

C2			
Pin	File	Posizione	
1	88	6/C4 C	FUNCTIONAL ALARM
2	89	6/C5 N.O.	
3	31	6/C5 N.O.	GENERAL ALARM
4	32	6/C5 C	
5	33	6/C6 N.C.	AIR FLOW ALARM
6	163	8/A1 N.O.	
7	164	8/A1 C	LOW/HIGH TEMP.
8	165	8/A2 NC	
9	166	8/A2 N.O.	LOW/HIGH UMIDITY
10	167	8/A2 C	
11	168	8/A2 N.C.	LOW/HIGH PRESSURE
12	169	8/A3 N.O.	
13	170	8/A3 C	
14	171	8/A3 N.C.	
15	172	8/A4 N.O.	
16	173	8/A4 C	
17	174	8/A4 N.C.	

CABLE SECTION 0.75mmq (MAX)




24 POLE FEMALE CONN.





CONNECTIONS STD. ALARM (LEFT SIDE)

C2			
Pin	File	Posizione	
1	88	6/C4 C	FUNCTIONAL ALARM
2	89	6/C5 N.O.	
3	31	6/C5 N.O.	GENERAL ALARM
4	32	6/C5 C	
5	33	6/C6 N.C.	
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			

CABLE SECTION 0.75mmq (MAX)




24 POLE FEMALE CONN.





POWER SUPPLY CONNECTIONS (LEFT SIDE)

C1			
Pin	File	Posizione	
1	1	3/A1	
2	2	3/A1	

CABLE SECTION 2.5mmq




6 POLE FEMALE CONN.




CONDENSER UNIT POWER S. CONNECTIONS (RIGHT SIDE)

C3			
Pin	File	Posizione	
1	7	3/D6	
2	8	3/D6	



CABLE SECTION 2.5mmq



6 POLE MALE CONN.



6 POLE FEMALE CONN.



CABLE FROM E.PANEL

DATA 09/09/2004

DISEG.

VISTO

APPR.

LENNOX

SOST. IL:

SOST. DA:

ORIGINE:

HF620C0240

HF62000240

HF620D0240

FOGLIO 13 DI 16

SEGUE 14

REV.

1

2

3

4

5

6

7

8