

**LENNOX**® ELITE™ SERIES

# ELITE 11™

H E A T P U M P



*Quiet, efficient, and affordable cooling and heating that delivers the kind of performance that translates into lower energy bills, year after year.*



*Reliable,  
affordable  
comfort can be  
yours. With  
the Elite 11™  
heat pump  
from Lennox,  
you can have  
the comfort you  
need at the  
price you want.  
Lasting value  
from the  
company you  
trust.*

**PERFORMANCE**

For more than 100 years, people have trusted Lennox to keep them comfortable.



That tradition continues with our Elite 11™ heat pump.

Its dependable scroll means greater capacity to keep you cool and improved dehumidification to keep you comfortable.

**WARRANTIES**

We build according to internationally recognized ISO 9002 standards. And, we stand behind our products with some of the best warranties\* in the industry. The Elite 11 heat

**COMPRESSOR  
10-YEAR  
LIMITED  
WARRANTY**

**PARTS  
5-YEAR  
LIMITED  
WARRANTY**

pump is backed by a 10-year limited warranty on the compressor and a 5-year


limited parts warranty. That's one more reason to trust Lennox.

**ENERGY SAVINGS**

The Elite 11 heat pump carries efficiency ratings of 10.00 to 11.50 SEER and 6.80 to 8.20 HSPF, making it significantly more efficient than a heat pump installed as recently as five years ago. Older units operate at much lower efficiency and can cost you money on your utility bill. The Elite 11 heat pump not only is affordable, its utility savings can add up in a hurry.

**UP TO  
11.50  
SEER**


**UP TO  
8.20  
HSPF**



3-Year Cooling Savings  
11.50 SEER efficient Elite 11™ model vs.  
8 and 10 SEER units.

This chart compares the 3-year savings you can expect from Elite 11 heat pumps versus units with lower efficiency ratings. Costs are based on industry averages for a typical 3-bedroom house in a city with 1,200 cooling hours per year. Your actual savings will vary depending on the weather, local fuel rates, indoor coil and your lifestyle.

\* Warranties noted apply to residential application only.



## QUALITY COMPONENTS

**1** *Dependable Scroll Compressor* — Sets new standards in cooling and heating efficiency and with fewer moving parts, it is more reliable. (2.5 - 5 ton - single-phase)

**2** *Quiet Direct-Drive Fan* — This precision-balanced, direct-drive outdoor fan is designed to provide for a quieter operation and a longer life.

**3** *Reversing Valve* — Four-way interchanging reversing valve changes between heating and cooling modes for greater comfort.

## EASY MAINTENANCE

**4** *Enhanced Coil Guard* — Non-corrosive PVC-coated steel wire coil guard protects the coil from damage and is designed so debris naturally falls away from the coil, maintaining the efficiency of the unit.

**5** *Reusable Service Valves* — Environmentally friendly by helping keep refrigerant from escaping during routine service.

## EFFICIENT DESIGN

**6** *High-Efficiency Outdoor Coil* — The reliable 100% copper tubing/aluminum fin outdoor coil provides exceptional heat transfer and low air resistance for efficient operation.

**7** *Insulated Compressor* — Reduces operating noise, making the Elite 11™ heat pump so quiet you'll hardly notice it.

AS LOW AS  
**74**  
DECIBELS


**8** *Defrost Control* — Solid-state control operates in cold weather to reduce stress of freezing temperatures.

## LOOKS GOOD YEAR AFTER YEAR

**9** *Corrosion-Resistant Cabinet* — A durable, baked-on enamel finish protects the heavy-gauge, galvanized steel cabinet against rust and corrosion.

**●** *Drainage Holes* — Strategically placed to prevent damaging moisture from collecting inside the unit's base pan.

## TOTAL HOME COMFORT




Lennox is committed to providing you with the finest in quality home comfort. That commitment includes offering accessories that can make your home even more energy efficient and comfortable.

## QUALITY DEALERS YOU CAN COUNT ON

Choosing the right dealer for your heating and cooling needs is every bit as important as choosing a particular brand of equipment. That's why Lennox has the industry's only Quality Dealer Standards program. Lennox dealerships are independently owned and operated and have to meet Lennox' high standards. We think you'll agree they're a big reason why you can always count on getting a quality product whenever you call on Lennox.



## ELECTRONIC AIR CLEANERS



An electronic air cleaner purifies the air and provides respiratory relief by removing dust, dirt and pollen.

## HUMIDITY CONTROL



The EfficiencyPlus™ comfort control allows you to adjust the relative humidity inside your home without affecting room temperatures for maximum comfort and energy efficiency.

## ELECTRONIC THERMOSTATS



A proven energy saver, an electronic thermostat provides added comfort, convenience, and time-saving fingertip programming.

**LENNOX®** ONE LESS THING TO WORRY ABOUT.®

### Elite 11™ Heat Pump Specifications

HP29	018	024	030	036 (1ph)	036 (3ph)
SEER	Up to 11.05	Up to 11.05	Up to 11.10	Up to 11.50	Up to 11.05
Sound Rating - db	76	76	74	76	76
Cooling Btuh (kW)	17,900 to 18,800 (5.2 to 5.5)	22,000 to 24,000 (6.5 to 7.0)	26,000 to 30,400 (7.6 to 8.9)	33,000 to 35,600 (9.7 to 10.4)	32,200 to 35,400 (9.4 to 10.4)
Heating Btuh (kW)	16,600 to 17,500 (4.9 to 5.1)	21,000 to 22,200 (6.2 to 6.5)	28,000 to 29,400 (8.2 to 8.6)	33,400 to 38,200 (9.8 to 11.2)	30,600 to 33,400 (9.0 to 9.8)
HSPF Region IV (V)	Up to 7.00	Up to 7.20	Up to 7.60	Up to 8.20	Up to 7.10
Dimensions - H.W.D. (in.)	25x24-1/4x24-1/4	25x24-1/4x24-1/4	33x24-1/4x24-1/4	33x24-1/4x24-1/4	33x24-1/4x24-1/4
H.W.D. (mm)	635x616x616	635x616x616	838x616x616	838x616x616	838x616x616

HP29	042 (1ph)	042 (3ph)	048 (1ph and 3ph)	060 (1ph and 3ph)
SEER	Up to 11.30	Up to 10.70	Up to 11.30	Up to 11.10
Sound Rating - db	78	82	78	80
Cooling Btuh (kW)	38,500 to 41,500 (11.3 to 12.2)	39,000 to 42,000 (11.4 to 12.3)	42,500 to 46,000 (12.5 to 13.5)	55,000 to 58,000 (16.1 to 17.0)
Heating Btuh (kW)	38,500 to 41,000 (11.3 to 12.0)	34,400 to 36,600 (10.1 to 10.7)	42,500 to 44,500 (12.6 to 13.0)	53,500 to 56,000 (15.7 to 16.4)
HSPF Region IV (V)	Up to 8.10	Up to 7.30	Up to 8.00	Up to 7.20
Dimensions - H.W.D. (in.)	33x24-1/4x24-1/4	33x24-1/4x24-1/4	33x24-1/4x24-1/4	37-1/4x28-1/4x28-1/4
H.W.D. (mm)	838x616x616	838x616x616	838x616x616	946x718x718

Note: Due to Lennox' ongoing commitment to quality, all specifications, ratings and dimensions are subject to change without notice.

